



Bearing No. NKS55

Size	55x72x22 mm
Bore Diameter	55 mm
Outer Diameter	72 mm
Width	22 mm
F_w	55 mm
D	72 mm
C	22 mm
r_{min}	1 mm
m	221 g / Weight
C_r	51000 N / Dynamic load rating (radial)
C_{Or}	74000 N / Static load rating (radial)
C_{ur}	12700 N / Fatigue limit load, radial
n_G	8200 1/min / Limiting speed
n_B	4700 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
BDI Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.22
EAN	4012802702071
Product Group - BDI	B04144
Rolling Element	Needle Roller Bearing
Component	Roller Assembly with Outer Ring - No Inner Ring
Enclosure	Open

Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	No
Closed End	No
Inch - Metric	Metric
Relubricatable	Yes
Thrust Bearing	No
Long Description	55MM Bore; 72MM Outside Diameter; 22MM Width; Needle Roller Bearing; Roller Assembly with Outer Ring - No Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; No Separable; No Closed End; Relubricatable
Other Features	2 Rib Outer Ring Radial Precision Bearing Steel Cage Heavy Duty Ground Raceway with Rib Oil Hole
Category - BDI	Needle Non Thrust Roller Bearing
UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NKS55
Weight / LBS	0.486
Bore	2.165 Inch 55 Millimeter

NKS55 INA Needle Roller Bearings

Outside Diameter	2.835 Inch 72 Millimeter
Width	0.866 Inch 22 Millimeter