



Bearing No. NAO20X35X17

Size	20x35x17 mm
Bore Diameter	20 mm
Outer Diameter	35 mm
Width	17 mm
d	20 mm
D	35 mm
B	17 mm
D _a	29,5 mm
D _b	25,6 mm
d _a	24,5 mm
d _b	28,4 mm
E	29 mm
F	25 mm
r _{a max}	0,3 mm
r _{min}	0,3 mm
s	0,5 mm / Axial displacement
m	76 g / Weight
C _r	16800 N / Dynamic load rating (radial)
C _{0r}	26000 N / Static load rating (radial)
C _{ur}	4250 N / Fatigue limit load, radial
n _G	18100 1/min / Limiting speed
n _B	9700 1/min / Reference speed
Category	Needle Non Thrust Roller Bearings
BDI Inventory	0.0

Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	0.08
EAN	4012801175814
Product Group - BDI	B04144
Rolling Element	Needle Roller Bearing
Component	Complete with Outer and Inner Ring
Enclosure	Open
Self Aligning	No
Retainer	Yes
Number of Rows of Rollers	Single Row
Separable	Inner/Outer Ring - Both Sides
Closed End	No
Inch - Metric	Metric
Relubricatable	No
Thrust Bearing	No
Long Description	20MM Bore; 35MM Outside Diameter; 17MM Width; Needle Roller Bearing; Complete with Outer and Inner Ring; Open Enclosure; No Self Aligning; Retainer; Single Row of Rollers; Inner/Outer Ring - Both Sides Separable; No Closed End; No Relubricatable
Other Features	Plain Inner Ring Plain Outer Ring Precision Bearing Steel Cage Ground Raceway
Category - BDI	Needle Non Thrust Roller Bearing

UNSPSC	31171512
Harmonized Tariff Code	8482.40.00.00
Noun	Bearing
Keyword String	Needle
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	NAO20X35X17
Weight / LBS	0.168
Bore	0.787 Inch 20 Millimeter
Outside Diameter	1.378 Inch 35 Millimeter
Width	0.669 Inch 17 Millimeter